

SUTTON HAZARD MITIGATION

How many parcels are within the Town:	
Net Valuation of Buildings and Land, 2017	
Total Structure ONLY Value of ALL Structures:	
Total Value of ALL Utilities in Town:	
Source of data for each row	Town Assessor

HMC TASK: For each of the 13 Tables-

- UPDATE or ADD NEW each FACILITY NAME column with correct information.
- ADD updated PHONE or STREET Address if you can for those FACILITIES you update.
- Eliminate duplicate FACILITY NAMES in Tables - Choose the best Table category representation.

PLEASE HIGHLIGHT IN YELLOW ANY AND ALL CELLS YOU MODIFY! THIS WAY STEPHANIE CAN IDENTIFY YOUR CHANGES AND TRANSFER THEM TO THE MASTER FILE.

This is our list of **SHORTENED NATURAL & WEATHER Hazards (13)** to be used in the Primary Natural Hazard Vulnerabilities column:

- This is our list of **SHORTENED TECHNOLOGICAL** and **HUMAN Hazards** (9) **TO USE ONLY IF REQUIRED** after **NATURAL HAZARDS** have been identified :

- Each Facility can only appear in ONE Table. Choose the most relevant Table category. No duplicate Facilities will be placed into these Tables as each one is mapped by Table category.**

Table				
Essential Facilities				
UPDATE each column with correct information for each Table.			Town to insert Value \$ from assessing software	UPDATE or IDENTIFY 3-4 NATURAL Hazards each Facility could be vulnerable to. CHANGE old hazards to the NEW 2019 Natural Hazard List! THEN May Identify 2-3 TECH-HUMAN Hazards (See List)
Facility Name	Street Address (911)	Phone	Structure Assessed Value \$	Primary Natural Hazard Vulnerabilities
Pillsbury Memorial (Town) Hall	93 Main St., Sutton Mills	927-4416	\$0	Earthquake, Flood, Wind, Health (Mold), Winter, Utility, Terrorism
Fire Department	2 North Road, North Sutton	927-4740	\$0	
Police Department	1 North Road	927-4422	\$0	
Highway Department	13 Village Road, Sutton Mills	927-4411	\$0	Earthquake, Winter, Utility, Terrorism
Transfer Station	795 Route 114	927-4475	\$0	Earthquake, Winter, Utility, Terrorism
Salt shed?			\$0	
Other governmental facility?			\$0	
			\$0	
			\$0	2019 Natural- Drought, Earthquake, Temperature, Wind, Flood, Landslide, Lightning, Health, River, Winter, Solar, Tropical, Wildfire
See also Shelters, Schools & Medical Facilities Table			\$0	2019 Tech & Human- Infrastructure, Dam, Fire, Haz Mat, Utility, Crash, Mass Casualty, Terrorism, Cyber
			\$0	Total Facilities Structure Only Assessed Value

For Meeting 2: Identify at least 2-3 Problem Statements for each Table

Problem Statement:

CONTINUED

Problem Statement:

CONTINUED

Problem Statement:

[illegible]

SUTTON HAZARD MITIGATION

			\$0	
			\$0	
			\$0	
			\$0	
			\$0	
			\$0	
			\$0	
			\$0	
			\$0	2019 Natural- Drought, Earthquake, Temperature, Wind, Flood, Landslide, Lightning, Health, River, Winter, Solar, Tropical, Wildfire
			\$0	2019 Tech & Human- Infrastructure, Dam, Fire, Haz Mat, Utility, Crash, Mass Casualty, Terrorism, Cyber
Water/Gas Electric Value by NHDRA 2017			\$0	Total Facilities Structure Only Assessed Value

Water/Gas Electric Value by NHDRA 2017

For Meeting 2: Identify at least 2-3 Problem Statements for each Table

Problem Statement:

CONTINUED

Problem Statement:

Problem Statement:

Problem Statement:

SA UPDATED FROM 2016 DAMS DATABASE

Table	High (H) Hazard	Significant (S) Hazard	Low (L) Hazard
-------	-----------------	------------------------	----------------

Source: NHDES Dam Hazard Classification GIS Database, Mar 2016; American Society of Civil Engineers NH Infrastructure Report Card, 2017: \$500k per Town or private dam, \$687,500/ State dam.

\$6,062,500

Estimated REPAIR Value

Page 10 of 10

For Meeting 2: Identify at least 2-3 Problem Statements for each Table

Problem Statement:

CONTINUED

Problem Statement:

Problem Statement:

Problem Statement:

SA UPDATED FROM 2017 BRIDGE DATABASE

Table	Town Redlisted Bridges	Other Town Bridges
-------	------------------------	--------------------

Facility Name	Location (Intersection)	NH DOT Municipal Redlist Classification NBI Ratings Provided for Redlisted	Phone	Structure REHABILITATION Value \$ Estimated from NHDOT Redlisted Brides Rehab and Replace Priority List 2017	Annual Average Daily Traffic (Year)	Primary Natural Hazard Vulnerabilities* with National Bridge Inventory (NBI) Scour Critical Status	
079/145 (Town)	King Hill Road over Brook	Not Applicable (N/A)	HW Dept Phone		\$0	0 (2000)	NBI Scour Critical Rating: Stable for extreme flood. Earthquake, Flood, River
084/160 (State)	I-89 South Bound over North Hominy Pot Road	Not Deficient (Good)	271-3667		\$0	8,750 (2013)	NBI Scour Critical Rating: Not over Waterway. Earthquake, Flood, River
085/136 (Town)	King Hill Road over Brook	Not Applicable (N/A)	HW Dept Phone		\$0	0 (2000)	NBI Scour Critical Rating: Stable for extreme flood. Earthquake, Flood, River
085/161 (State)	I-89 North Bound over North Hominy Pot Road	Not Deficient (Satisfactory)	271-3667		\$0	8,750 (2013)	NBI Scour Critical Rating: Not over Waterway. Earthquake, Flood, River
086/143 (Town)	Felch Road over Lyon Brook	Functionally Obsolete (Good)	HW Dept Phone		\$0	60 (1987)	NBI Scour Critical Rating: Stable for extreme flood. Earthquake, Flood, River
086/158 (Town)	Hominy Pot Road over Lyon Brook	Not Applicable (N/A)	HW Dept Phone		\$0	240 (2013)	NBI Scour Critical Rating: Stable for extreme flood. Earthquake, Flood, River
089/134 (Town)	Penacook Road over Brook	Not Applicable (N/A)	HW Dept Phone		\$0	230 (2010)	NBI Scour Critical Rating: Stable for extreme flood. Earthquake, Flood, River
091/136 (Town)	Penacook Road over Lyon Brook	Not Applicable (N/A)	HW Dept Phone		\$0	230 (2013)	NBI Scour Critical Rating: Stable for extreme flood. Earthquake, Flood, River
097/088 (Town)	Main Street over Kings Brook	Not Deficient (Very Good)	HW Dept Phone		\$0	610 (2013)	NBI Scour Critical Rating: Stable for extreme flood. Earthquake, Flood, River

Critical & Community Facility Vulnerability Assessment 2019

SUTTON HAZARD MITIGATION

WORK SESSION 1

10/31/2018

CNHRPC | Contact Stephanie at salexander@cnhrpc.org

099/088 (Town)	Main Street over Lane River	Not Deficient (Very Good)	HW Dept Phone	\$0	610 (2013)	NBI Scour Critical Rating: Stable for extreme flood. Earthquake, Flood, River
099/090 (Town)	CLOSED Grist Mill Road over Lane River	Not Applicable (Failed - Closed)	HW Dept Phone	\$0	0 (2012)	NBI Scour Critical Rating: Stable for extreme flood. Earthquake, Flood, River
105/111 (Town)	Wadleigh Hill Road over Lane River	Functionally Obsolete (Satisfactory)	HW Dept Phone	\$0	230 (2013)	NBI Scour Critical Rating: Stable for extreme flood. Earthquake, Flood, River
109/144 (State)	I-89 South Bound over NH 114	Functionally Obsolete (Satisfactory) [TYP 2019-2028 - 2023 Bridge Rehab, Deck Replace, Overheight Damage]	271-3667	\$1,500,000	8,750 (2013)	NBI Scour Critical Rating: Not over Waterway. Earthquake, Flood, River
109/145 (State)	I-89 North Bound over NH 114	Functionally Obsolete (Satisfactory)	271-3667	\$0	8,250 (2013)	NBI Scour Critical Rating: Not over Waterway. Earthquake, Flood, River
112/126 (State)	Wadleigh Hill Road over Kezar Lake Outlet	Not Deficient (Satisfactory)	271-3667	\$0	230 (2013)	NBI Scour Critical Rating: Stable for extreme flood. Earthquake, Flood, River
117/065 (State)	NH 114 over Lane River	Not Applicable (Satisfactory)	271-3667	\$0	1,400 (2013)	NBI Scour Critical Rating: Stable for extreme flood. Earthquake, Flood, River
129/116 (State)	I-89 South Bound over Gile Pond Road	Not Deficient (Satisfactory)	271-3667	\$0	8,750 (2013)	NBI Scour Critical Rating: Not over Waterway. Earthquake, Flood, River
130/117 (State)	I-89 North Bound over Gile Pond Road	Not Deficient (Good)	271-3667	\$0	8,750 (2013)	NBI Scour Critical Rating: Not over Waterway. Earthquake, Flood, River
139/153 (Town)	Cotton Road over Baker Brook	Functionally Obsolete (Satisfactory)	HW Dept Phone	\$0	160 (1987)	NBI Scour Critical Rating: Stable for extreme flood. Earthquake, Flood, River
146/037 (Town)	Roby Road over Lane River	Not Deficient (Very Good)	HW Dept Phone	\$0	310 (2013)	NBI Scour Critical Rating: Stable for extreme flood. Earthquake, Flood, River
146/107 (Town)	North Road over Stevens Brook	Not Applicable (N/A)	HW Dept Phone	\$0	1,600 (2010)	NBI Scour Critical Rating: Stable for extreme flood. Earthquake, Flood, River
170/024 (Town)	CLOSED Morse Loop over Brook	Not Applicable (Failing - Closed)	HW Dept Phone	\$0	50 (1989)	NBI Scour Critical Rating: Stable for extreme flood. Earthquake, Flood, River
191/058 (State)	I-89 North Bound over Stevens Brook Road	Not Deficient (Good)	271-3667	\$0	9,314 (2015)	NBI Scour Critical Rating: Not over Waterway. Earthquake, Flood, River
192/057 (State)	I-89 South Bound over Stevens Brook Road	Not Deficient (Satisfactory)	271-3667	\$0	9,314 (2015)	NBI Scour Critical Rating: Not over Waterway. Earthquake, Flood, River
				\$0		
				\$1,500,000		

Sources: NHDOT GIS Bridges Database, Oct 2018; NHDOT Bridges Summary, March 2017; Rehab or Replace Values \$ are only estimated. Engineering Reports are needed for closer costs.

Total Facilities Structure
Estimated REHABILITATION or
REPLACEMENT Value

For Meeting 2: Identify at least 2-3 Problem Statements for each Table

Problem Statement:

CONTINUED

Problem Statement:

Problem Statement:

Problem Statement:

Table Shelters, Schools, and Medical Facilities

Facility Name	Street Address (911)	Phone	Structure Assessed Value \$	Primary Natural Hazard Vulnerabilities
Kearsarge Regional Middle School	32 Gile Pond Road	927-2100	\$0	Earthquake, Temperature, Wind, Flood, Health, Winter, Tropical, Wildfire, Utility, Terrorism
Kearsarge Regional High School	457 North Road	927-4261	\$0	Earthquake, Temperature, Wind, Flood, Health, Winter, Tropical, Wildfire, Utility, Terrorism
Sutton Central School	28 Newbury Road	927-4215	\$0	Earthquake, Temperature, Wind, Flood, Health, Winter, Tropical, Wildfire, Utility, Terrorism
Medical facilities or Veterinary clinics?			\$0	
Which school is the official Town shelter?			\$0	
			\$0	
			\$0	
			\$0	2019 Natural- Drought, Earthquake, Temperature, Wind, Flood, Landslide, Lightning, Health, River, Winter, Solar, Tropical, Wildfire
See also Recreational & Gathering Sites Table			\$0	2019 Tech & Human- Infrastructure, Dam, Fire, Haz Mat, Utility, Crash, Mass Casualty, Terrorism, Cyber
			\$0	Total Facilities Structure Only Assessed Value

For Meeting 2: Identify at least 2-3 Problem Statements for each Table

Problem Statement:

CONTINUED

Problem Statement:

Problem Statement:

Problem Statement:

Table Vulnerable Populations

Facility Name	Street Address (911)	Phone	Structure Assessed Value \$	Primary Natural Hazard Vulnerabilities
Live Wire Day Care	Route 114, Sutton/ Bradford Town Line	938-2849	\$0	Earthquake, Temperature, Flood, Health, Utility
Senior living developments or facilities?			\$0	
Manufactured housing parks?			\$0	
			\$0	
			\$0	
			\$0	

Critical & Community Facility Vulnerability Assessment 2019

SUTTON HAZARD MITIGATION

WORK SESSION 1

10/31/2018

CNHRPC | Contact Stephanie at salexander@cnhrpc.org

			\$0	
			\$0	2019 Natural- Drought, Earthquake, Temperature, Wind, Flood, Landslide, Lightning, Health, River, Winter, Solar, Tropical, Wildfire
see also Shelters, Schools and Medical Facilities Table			\$0	2019 Tech & Human- Infrastructure, Dam, Fire, Haz Mat, Utility, Crash, Mass Casualty, Terrorism, Cyber
			\$0	Total Facilities Structure Only Assessed Value

For Meeting 2: Identify at least 2-3 Problem Statements for each Table

Problem Statement:

CONTINUED

Problem Statement:

Problem Statement:

Problem Statement:

Table

Economic Assets

Facility Name	Street Address (911)	Phone	Structure Assessed Value \$	Primary Natural Hazard Vulnerabilities
Labsphere	231 Shaker St	927-4266	\$0	Earthquake, Winter, Utility, Terrorism
Vernondale Store	1526 Route 114	927-4256	\$0	Earthquake, Winter, Utility, Terrorism
Any retail, manufacturing, commercial, businesses in Town?			\$0	
Agricultural businesses?			\$0	
			\$0	
			\$0	
			\$0	
			\$0	
			\$0	
			\$0	
			\$0	
			\$0	
			\$0	
			\$0	
			\$0	
			\$0	2019 Natural- Drought, Earthquake, Temperature, Wind, Flood, Landslide, Lightning, Health, River, Winter, Solar, Tropical, Wildfire
see also Recreation and Gathering Sites and Hazardous Materials Tables			\$0	2019 Tech & Human- Infrastructure, Dam, Fire, Haz Mat, Utility, Crash, Mass Casualty, Terrorism, Cyber
			\$0	Total Facilities Structure Only Assessed Value

For Meeting 2: Identify at least 2-3 Problem Statements for each Table

Problem Statement:

CONTINUED

Problem Statement:

Problem Statement:

Problem Statement:

Table

Hazardous Materials

Facilities

Facility Name	Street Address (911)	Phone	Structure Assessed Value \$	Primary Natural Hazard Vulnerabilities
Brownfield sites?			\$0	
Auto repairs shops or Junkyards?			\$0	
Industrial businesses?			\$0	
			\$0	
			\$0	
			\$0	
			\$0	
			\$0	
			\$0	
			\$0	
			\$0	
			\$0	
			\$0	
			\$0	
			\$0	
			\$0	2019 Natural- Drought, Earthquake, Temperature, Wind, Flood, Landslide, Lightning, Health, River, Winter, Solar, Tropical, Wildfire
see also Economic Assets Table			\$0	2019 Tech & Human- Infrastructure, Dam, Fire, Haz Mat, Utility, Crash, Mass Casualty, Terrorism, Cyber
			\$0	Total Facilities Structure Only Assessed Value

For Meeting 2: Identify at least 2-3 Problem Statements for each Table

Problem Statement:

CONTINUED

Problem Statement:

Problem Statement:

Problem Statement:

Table

Cemeteries and Churches

Facility Name	Street Address (911)	Phone	Structure Assessed Value \$	Primary Natural Hazard Vulnerabilities
First Free Will Baptist Church	1533 Route 114	927-4150	\$0	Earthquake, Temperature, Wind, Flood, Health, Winter, Tropical, Wildfire, Utility, Terrorism
Trinity Bible Church	539 Route 114	927-4384	\$0	Earthquake, Temperature, Wind, Flood, Health, Winter, Tropical, Wildfire, Utility, Terrorism
			\$0	
			\$0	
			\$0	

SUTTON HAZARD MITIGATION

Problem Statement:	
CONTINUED	
Problem Statement:	

Facility Name	Street Address (911)	Phone	Structure Assessed Value \$	Primary Natural Hazard Vulnerabilities
South Sutton Meetinghouse	17 Meetinghouse Hill Road		\$0	Earthquake, Wind, Health (Mold), Winter, Utility, Terrorism
Muster Field Farm	63 Harvey Road	927-4276	\$0	Earthquake, Wind, Health (Mold), Winter, Utility, Terrorism
Old Store Museum	12 Meetinghouse Hill Road		\$0	Earthquake, Wind, Health (Mold), Winter, Utility, Terrorism
Old South Sutton School House	19 Meeting House Hill Road		\$0	Earthquake, Wind, Health (Mold), Winter, Utility, Terrorism
Others?			\$0	
			\$0	
			\$0	
			\$0	
			\$0	
			\$0	
			\$0	
			\$0	
			\$0	
			\$0	
			\$0	
			\$0	
			\$0	
			\$0	2019 Natural- Drought, Earthquake, Temperature, Wind, Flood, Landslide, Lightning, Health, River, Winter, Solar, Tropical, Wildfire
			\$0	2019 Tech & Human- Infrastructure, Dam, Fire, Haz Mat, Utility, Crash, Mass Casualty, Terrorism, Cyber
			\$0	Total Facilities Structure Only Assessed Value

For Meeting 2: Identify at least 2-3 Problem Statements for each Table

Facility Name	Street Address (911)	Phone	Structure Assessed Value \$	Primary Natural Hazard Vulnerabilities
Follansbee Inn	2 Kezar Street	927-4221	\$0	Earthquake, Winter, Utility, Terrorism
Country Club of New Hampshire	178 Kearsarge Valley Road	927-4246	\$0	Earthquake, Winter, Utility, Terrorism
Wadleigh State Park	138 Penacook Road	927-4724	\$0	Earthquake, Winter, Utility, Terrorism
Camp Wabasso - Girl Scout Summer Camp	166 Rte. 114	938-2240	\$0	Earthquake, Temperature, Wind, Flood, Health, Utility, Fire, Terrorism
Sutton Free Library	103 Main Street	927-4927	\$0	Earthquake, Temperature, Wind, Flood, Health, Utility, Fire, Terrorism
Smiley Grove Park	1513 Route 114	n/a	\$0	Wind, Tropical, Flood, Terrorism
Town or School Fields or Parks?			\$0	
Conservation Lands or Trails?			\$0	
			\$0	
			\$0	
			\$0	2019 Natural- Drought, Earthquake, Temperature, Wind, Flood, Landslide, Lightning, Health, River, Winter, Solar, Tropical, Wildfire
<i>see also Economic Assets Table</i>			\$0	2019 Tech & Human- Infrastructure, Dam, Fire, Haz Mat, Utility, Crash, Mass Casualty, Terrorism, Cyber
			\$0	Total Facilities Structure Only Assessed Value

For Meeting 2: Identify at least 2-3 Problem Statements for each Table

Table

Future Development

Opportunity Name	Location	Type of Facility	LAND Only Value \$ As Applicable	Primary Natural Hazard Vulnerabilities
Potential or Approved Planning Board Developments				
Meadowview Subdivision	08-217-478, Hominy Pot Road, Kings Hill, Felch Road, Penacook Road	9 lots residential	\$0	Earthquake, Winter, Utility
Harborview Subdivision	10-688-134, Stonehouse Road and possibly Kings Hill as a secondary emergency access	32 lots residential	\$0	Earthquake, Winter, Utility
Falvey Subdivision	Baker Hill Road	6 lot residential	\$0	Earthquake, Winter, Utility
Rogers Subdivision	Birch Hill Road	5 residential lots	\$0	Earthquake, Winter, Utility
			\$0	
			\$0	
			\$0	
			\$0	
Large Lots with Development Potential (Legacy Parcels)				
			\$0	
			\$0	
			\$0	
			\$0	
			\$0	
			\$0	
			\$0	
			\$0	
			\$0	
			\$0	
			\$0	
			\$0	
			\$0	
			\$0	
			\$0	
Lots for Sale As of DATE, 2019 Listing price per web sites				
			\$0	
			\$0	
			\$0	
			\$0	
			\$0	
			\$0	
			\$0	
			\$0	
			\$0	
			\$0	
			\$0	
			\$0	2019 Natural- Drought, Earthquake, Temperature, Wind, Flood, Landslide, Lightning, Health, River, Winter, Solar, Tropical, Wildfire
			\$0	2019 Tech & Human-Infrastructure, Dam, Fire, Haz Mat, Utility, Crash, Mass Casualty, Terrorism, Cyber
			\$0	Total LAND Only Assessed Value (Approved Parcels + Parcels for Sale)

For Meeting 2: Identify at least 2-3 Problem or Opportunities for Future Devt Table

Problem or Opportunity:	
CONTINUED	
Problem or Opportunity:	
Problem or Opportunity:	
Problem or Opportunity:	